

## **Create the Ideal Home** With KWW Appliances

**O**KWW

ORETA

www.kwwelectricals.com





## MIXER GRINDER

10 M 10 M

A must-have kitchen equipment that grinds a variety of food items and serves as an essential in food preparation. It has a powerful, energy-efficient motor that operates at high speed and can complete a variety of tasks in a matter of seconds.

**O**KWW

Capro



#### Features

- Auto shut off overload protection
- Food grade shock proof body of ABS polyme
- Multipurpose blades
- 3 numbers of high grade thicker SS jars with flow breakers for easy & smooth grinding, blending and making chutney. Liquidizing jar with pc dome of 1.5 L, Dry/ wet grinding jar 1.0 L & chutney jar 0.4L capacity
- 3 speed control with pulse function
- Easy cleaning
- ISI approved
- 30 minute rating with 5 minute ON followed by 2 minute off
- Skid resistant

#### Specifications

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	750
MRP	5490/-







- Auto shut off overload protection
- Food grade Shock proof body of ABS polymer
- Multipurpose blades
- > 3 stainless steel jars, liquidizing Jar 1.25L, Dry/ wet grinding jar 0.75L& chutney jar 0.4L capacity
- 3 speed control with pulse function
- Easy cleaning
- ISI approved
- 30 minute rating with 5 minute ON followed by 2 minute off
- Skid resistant

#### Specifications

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	550
MRP	3990/-







#### Features

- Auto shut off overload protection
- Food grade shockproof body
- Multipurpose blades
- ▶ 3 stainless steel jars, liquidizing Jar 1.25L, Dry/ wet grinding jar 0.75L& chutney jar 0.4L capacity
- ▶ 3 speed control with pulse function
- Easy cleaning
- ISI approved
- ▶ 30 minute rating with 5 minute ON followed by 2 minute off
- Skid resistant

#### Specifications

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	550
MRP	3790/-

## WATER HEATER

· · · ·

. . . .

. . .

2 3 4 MORE STARS

 
 7 YEARS Tank Warranty
 3 YEARS Heating Element Warranty
 2 YEARS Product Warranty

Enjoy hot water showers all year long with KWW Water Heaters. Having a hot shower will help you relax and unwind. Moreover, getting a geyser will save you the energy of heating water on the gas stove.

11111

**B**KWW



### Centoro Storage Water Heater



Higher Durablity Longer Tank Life



**O**xww

High Thermal Efficiency & Performance

Smart Indicator

#### Features

- Capillary Thermostat/Thermal Cut Out
- High Density PUF Insulation
- Rust and Shock Proof Body
- Suitable for High Rise Building
- Temperature Control Knob
- Hi-grade Heating Element
- BEE 5 Star Rated

#### Specifications

Voltage	Capacity	Туре	MRP
220-240V, 50Hz, 1Ph, AC	10 Ltrs.	Storage	8990/-
220-240V, 50Hz, 1Ph, AC	15 Ltrs.	Storage	9990/-
220-240V, 50Hz, 1Ph, AC	25 Ltrs.	Storage	10990/-









- Glass lined enamel coated High pressure tank with 2.0mm thickness
- Designed for 8 Bar pressure suitable for high rise building and pressure pump application
- Magnesium anode rod for protection against tank from corrosion/rust
- Corrosion resistant PPGS (prepainted galvanized sheet) outer body
- Glass Lined Incoloy 800 heating element
- PUF insulation
- Whirl flow technology for 20% more hot water
- Capillary thermostat
- ▶ 5 in1 multifunctional valve for enhanced safety
- BEE 4 star rated

#### Specifications

200001

Voltage	Capacity	Туре	MRP
220-240V, 50Hz, 1Ph, AC	6 Ltrs.	Storage	6990/-
220-240V, 50Hz, 1Ph, AC	10 Ltrs.	Storage	7990/-
220-240V, 50Hz, 1Ph, AC	15 Ltrs.	Storage	8990/-
220-240V, 50Hz, 1Ph, AC	25 Ltrs.	Storage	9990/-



**5 YEARS** 5 YEARS Warranty on Inner Ta

on Inner Tank

**2 YEAKS** Warranty on Product & Heating Element



#### **Specifications**





- Ultra thick superior 304 grade SS tank
- Stem type ISI approved thermostat and thermal cut out
- ▶ 6.5 Bar pressure
- Rust proof epoxy powder coated outer body
- Penta shield safety including inbuilt pressure release valve for complete protection
- BEE 3 star rated

age	Capacity	Туре	MRP
)Hz, 1 Ph, AC	10 Ltrs.	Storage	5990/-
)Hz, 1 Ph, AC	15 Ltrs.	Storage	6990/-
)Hz, 1 Ph, AC	25 Ltrs.	Storage	7990/-
)Hz, 1 Ph, AC	35 Ltrs.	Storage	8990/-
)Hz, 1 Ph, AC	50 Ltrs.	Storage	9990/-

**B**KWW 20 2 CASSAVA



#### Features

- Super Efficient ISI market Heating Element.
- Multiple Safety System.
- Inner tank made with high grade SS-304 stainless steel.
- High density glass wool insulation for heat preservation and energy saving
- Extra thick heating element for quicker heating.
- Can withstand pressure up to 6.5 bar.
- Joint less leak proof inner tank

#### Specifications

2000 M

Voltage	Capacity	Туре	MRP
220-240V, 50Hz, 1Ph, AC	3 Ltrs.	Instant	3990/-
220-240V, 50Hz, 1Ph, AC	5 Ltrs.	Instant	4990/-



**E3**KWW

CAPTIVA

Low

6L

20

С

#### Specifications

Hot Water Output 6 Lt/min









- Constant hot water supply of 6 lit per min.
- ISI certified
- 1 kg heavy duty copper heat exchanger & SS burners
- Automated ignition system
- > 20 min inbuilt timer
- Over heat protection/Auto cut off over 80 degree celcius
- Flame failure protection
- Dry heat/Dry burn protection
- Suitable for low pressure
- Brass inlet/outlet connection
- Elegant MS powder coated outer body with superior aesthetics

Rated Heat Input	Water Pressure	MRP
10 KW	0.01-8 bar	6900/-



## **DRY IRON**

. . . .

. . . .

. . . .

It is very important to dress smart and trim in today's world. KWW Dry Iron serves the general purpose of de-wrinkling clothes and other fabric. It comes with features like non-stick soleplates, metal cover body, temperature controls, safety fuse, light indicators and such.

.....





#### Features

- Variable steam control
- Fine water spray system
- Vertical steam slot
- Swivel cord
- Supply Indicator lamp
- Variable temperature control
- PTFE coated soleplate

#### Specifications

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	1350
MRP	1690/-

Varaible Steam Control 200 ML Water Tank Capacity Product Warranty





- Adjustable temperature control
- Nonstick greblon coated sole plate
- Overheating safety protection
- Pilot neon Lamp Power Indicator
- Safty fuse
- ISI approved
- Cool touch shock proof body of engineering polymer

#### Specifications

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	1000
MRP	1090/-













#### Features

- Instant heating
- Shock proof
- Safety fuse
- Reliable snap action thermostat
- Multiple temperature levels
- Cool touch body with light weight engineering Thermoplastic
- ISI approved
- Easy grip temperature control dial for selection of different fabrics
- Neon Indicator for Power

#### Specifications

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	1000
MRP	1090/-



Flat 'C' Type Heating Element



Thermostatic Control



24 Months Product Warranty

# BRIA



#### Features

- Non stick greblon coated sole plate
- Designed for button grooves for Convenience
- Safety fuse
- Shock proof
- Automatic temperature control by snap action Thermostat
- Multiple Temperature levels
- Instant heating
- Neon indicator
- ISI approved
- 360° Swivel Cord

#### Specifications

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	1000
MRP	1140/-



### **SLAVIA** HEAVY WEIGHT DRY IRON





#### Features

- Powerful Performance
- Heavy weight design with more pressing power
- Nonstick coated sole plate
- Plated metal cover
- Pilot Lamp
- Heat resistant cotton braided power cord
- Reliable snap action thermostat
- ISI approved
- Easy temperature setting level
- Heel rest stand for vertical positioning

#### Specifications

<

 $\bigcirc$ 

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	1000
MRP	1790/-

Easy Temperature Settings



24 Months Product Warranty

## INDUCTION OVEN

.....

Reduce your dependency on gas stoves with a range of KWW Induction Ovens and choose the perfect one to add to your kitchen appliances collection. Comes loaded with features like push buttons, touch panel, LED display, auto shut off, etc.

#### Specifications

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC	
Wattage	2000/2200	
MRP	4900/-	



Extra Wide Cooking Surface

Touch Sensor

Control





- High temp. resistant polished A grade crystal plate 280 × 360 mm
- 2000W / 2200W capacity with Siemens 20 A IGBT for steady performance
- Extra soft touch sensor control panel
- Infrared coils
- Cooling fan of 2400 rpm to disperse heat
- Steel body and base with handle and knob
- 4 digit bright LED display
- Several important touch functions like timer, lock and other cooking functions
- Auto cut off
- Can use all kinds of flat utensils like glass, stainless steel, aluminium, ceramic etc. & any metal pan



#### Specifications

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	1400
MRP	3100/-



#### Features

- Unpolishedcrystal plate 280 × 350 mm
- 1400 watts capacity with Siemens 20 A IGBT for steady performance
- Push button control panel for preset cooking functions
- > 20% Copper coated coil for durability
- Self lubricated cooling fan to disperse heat quickly
- 4 digit bright LED display
- Easy to clean, no problem of stains
- Micro controller based design
- Overheat protection
- Energy saving
- Digital timer control
- Variable power level
- Auto shut off
- Quick heating





#### Specifications

Voltage 220-240 Volts, 50 Hz, 1 Ph.	
Wattage	2000
MRP	4300/-





#### INDUCTION COOKER

- Polished crystal plate 280 × 350 mm
- 2000 watts capacity with Siemens 20 A IGBT for steady performance
- Touch control panel for preset cooking functions
- Self lubricated cooling fan to disperse heat quickly
- 4 digit bright LED display
- Easy to clean, no problem of stains
- Auto shut off
- Micro controller based design





Keep your beverage hot or warm as per your needs with KWW Electric Kettles. Whether it's coffee, tea, milk, soup, or water, you can heat all kinds of liquids as per your choice in these kettles. They consume less electricity and have an auto switch-off option to save further electricity.







#### Features

- Capacity 1.8 Litre
- 360° Cordless Base
- Concealed Heating Element
- Dry-Boil Protection
- Automatic turn off when wat
- High Grade Stainless Steel w cool touch Body
- Cord Storage Facility
- Safety Lock Lid

## HotKet

- Capacity 1.5 Litre & 1.8 Litre
- 360° Cordless Base
- Concealed Heating Element
- Dry-Boil Protection
- Automatic turn off when water boils
- Cord Storage Facility
- Safety Lock Lid

		ELECTRICAES
JS		
	Specificati	ions
	Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
	Capacity	1.8 Litre
er boils th	MRP	2100/-





Voltage	Capacity	MRP
220-240V, 50Hz, 1Ph, AC	1.2 Litre	1160/-
220-240V, 50Hz, 1Ph, AC	1.5 Litre	1090/-
220-240V, 50Hz, 1Ph, AC	1.8 Litre	1140/-

## ROOM HEATER

. . . .

During the cold season, if you are struggling to find comfort and coziness in your home, then you need KWW Room Heater for your living space. It comes in different types, sizes, and designs to ensure that you find the right match for your home.



COST DE LE CONTRACTORIO

**B**KWW

#### Specifications

**Voltage** 220-240V, 50Hz, 1





- 1 year warranty
- High Quality Halogen Heating Element
- Three Heat Setting
- Oscilating Feature For uniform room heating
- Safety mesh grill
- Safety tip over switch
- Cool touch body
- Push button switch for smooth operation
- Easy portability with smart carry handle

	Power (in watt)	Heat Setting	MRP
l Ph, AC	1200	400/800/1200	2590/-



### QUARTOPRO OUARTZ HEATER

#### Features

- 1 Year Warranty
- Instant Heating
- Eco Friendly
- High temp. Resistant Body
- Two heat setting 400W/800W to maintain desired room temperature
- Shock proof body
- Long life quartz heating element
- ▶ ISI assurance of quality
- Portable design
- Safety tip over switch

#### Specifications

Voltage	Power (in watt)	Heat Setting	MRP
220-240V, 50Hz, 1Ph, AC	800	400/800	1490/-









#### Specifications



220-240V, 50Hz, 11





- 1 Year Warranty
- High Quality Quartz Tube
- Sleek and Compact Design
- Two heat settings 400W/800W to maintain
- desired room temperature
- Cool Touch Body
- Tip-over Safety Switch
- Front Grill for Protection

	Power (in watt)	Heat Setting	MRP
Ph, AC	800	400/800	1590/-





1 year warranty

- Heat/Fan selector control
- Adjustable thermostat heat control
- Easy to carry handle
- Cool touch body
- Overheat thermal cutout
- Two heat setting 1000/2000watts
- ISI approved

#### Specifications

Voltage	Power (in watt)	Heat Setting	MRP
220-240V, 50Hz, 1Ph, AC	2000	1000/2000	1690/-



#### Specifications

Voltage





- 1 Year Warranty
- Stylish Design
- Powder coated body
- Noiseless Operation
- Safety Front grill
- Easy portability
- Auto-revolving
- Instant Heating
- 2 Heat Seating 750W/1500W
- ISI approved
- Safety thermal cutout

	Power (in watt)	Heat Setting	MRP
Ph, AC	1500	750/1500	4900/-





- 2 Years Warranty
- Compliance to IS : 368:2014 for Product and IS : 302-2-201:2008 for Safety
- Power Rating 1.0, 1.5 & 2.0 KW
- Thick and heavy duty copper tube with silica powder filled and hi-grade nichrome wire for durability & utmost reliability

- Elegant shock proof Bakelite handle
- Corrosion proof
- ISI approved 3 core supply cord with moulded 3 pin plug
- Provision of earthing
- Shock Proof design option with special epoxy filled construction



#### Specifications

PRODUCT	SAFETY
IS:368	IS: 302-2-201
IJ	S
CM/L-2591463	CM/L-2591564

Voltage	Power	MRP (Shock Proof)	MRP (Normal
220-240V, 50Hz, 1Ph, AC	1KW	725/-	640/-
220-240V, 50Hz, 1Ph, AC	1.5 KW	775/-	690/-
220-240V, 50Hz, 1Ph, AC	2.0 KW	875/-	790/-



Voltage

220-240V, 50Hz, 1Ph





- 1 Years Warranty
- Modern and sleek design
- Heat/Fan selector control
- adjustable thermostat heat control
- Overheat safety thermal cutout
- 2 heat setting 1000/2000W
- Easy-to- carry handle
- Night lamp indicator
- ISI Approved

	Power (in watt)	Heat Setting	MRP
h, AC	2000	1000/2000	3400/-

KWW ELECTRICALS & ELECTRONICS PVT. LTD. (Formerly : Khaitan Electronics)

Argori, P.O.-Andul Mouri, P.S.-Sankrail Howrah, West Bengal - 711 302

☐ care@kwwelectricals.com □ www.kwwelectricals.com

Follow us : **f** 🗶 🖇 👂 🞯 **in** 

🔇 8100116363 / 9836786363 🚫 907 396 6363