KWW ELECTRICALS & ELECTRONICS PVT. LTD. (Formerly : Khaitan Electronics)

Argori, P.O.-Andul Mouri, P.S.-Sankrail Howrah, West Bengal - 711 302

☑ care@kwwelectricals.com www.kwwelectricals.com

Follow us : 🗗 🔀 🖇 👂 💿 in

🔇 810 011 6363 / 983 678 6363 907 396 6363

*Due to continuous improvement in product, actual color, shape and accessories may differ from one shown in this box



the Ideal Home With KWW Appliances



Water Heater | Induction Oven | Dry Iron | Mixer Grinder | Kettle | Room Heater

ELECTRICALS

uww.kwwelectricals.com

.

WATER **HEATER**

100 C 10

. . . .

2 4 1 More stars More savings

7 YEARS Tank Warranty Tank Warranty Tank

Enjoy hot water showers all year long with KWW Water Heaters. Having a hot shower will help you relax and unwind. Moreover, getting a geyser will save you the energy of heating water on the gas stove.

OKWW



centara Storage Water Heater



Higher Durablity Longer Tank Life



Q......

High Thermal Efficiency & Performance

Features

- Capillary Thermostat/Thermal Cut Out
- PUF Insulation
- Rust and Shock Proof Body
- Suitable for High Rise Building
- Temperature Control Knob
- Hi-grade Heating Element
- BEE 5 Star Rated

Voltage	Capacity	Туре	MRP
220-240V, 50Hz, 1Ph, AC	10 Ltrs.	Storage	8990/-
220-240V, 50Hz, 1Ph, AC	15 Ltrs.	Storage	9990/-
220-240V, 50Hz, 1Ph, AC	25 Ltrs.	Storage	10990/-







2 YEARS Warranty on Product & Heating Element

SENNA Storage Water Heater

Features

- Ultra thick superior 304 grade SS tank
- Stem type ISI approved thermostat and thermal cut out
- ▶ 6.5 Bar pressure
- Rust proof epoxy powder coated outer body
- Penta shield safety including inbuilt pressure release valve for complete protection
- BEE 3 star rated

Specifications

20001

Voltage	Capacity	Туре	MRP
220-240V, 50Hz, 1Ph, AC	10 Ltrs.	Storage	5990/-
220-240V, 50Hz, 1Ph, AC	15 Ltrs.	Storage	6990/-
220-240V, 50Hz, 1Ph, AC	25 Ltrs.	Storage	7990/-
220-240V, 50Hz, 1Ph, AC	35 Ltrs.	Storage	8990/-
220-240V, 50Hz, 1Ph, AC	50 Ltrs.	Storage	9990/-





Specifications

IS : 2082:2018	Voltage	Capacity	Туре	MRP
A MORE STARS	220-240V, 50Hz, 1Ph, AC	6 Ltrs.	Storage	6990/-
7 YEARS Warranty on Inner Tank 2 YEARS Warranty on Prduct 3 YEARS Warranty on Heating Element	220-240V, 50Hz, 1Ph, AC	10 Ltrs.	Storage	7990/-
	220-240V, 50Hz, 1Ph, AC	15 Ltrs.	Storage	8990/-
on Inner Tank Prduct Heating Element	220-240V, 50Hz, 1Ph, AC	25 Ltrs.	Storage	9990/-



BRETA Storage Water Heater

- Glass lined enamel coated High pressure tank with 2.0mm wall thickness
- Designed for 8 Bar pressure suitable for high rise building and pressure pump application
- Magnesium anode rod for protection against tank from corrosion/rust
- Corrosion resistant PPGS (prepainted galvanized sheet) outer body
- Glass Lined Incoloy 800 heating element
- PUF insulation
- Whirl flow technology for 20% more hot water
- Capillary thermostat
- ▶ 5 in1 multifunctional valve for enhanced safety
- BEE 4 star rated

SKWW 3 2 CASSAVA

2 YEARS

2 YEARS Comprehensive Warranty

Warranty

5 YEARS

on Inner Tank

Warranty

5_{YEARS}

CASSAVA Instant Water Heater

Features

- Super Efficient ISI marked Heating Element.
- Multiple Safety System.
- Inner tank made with high grade SS-304 stainless steel.
- High density glass wool insulation for heat preservation and energy saving
- Extra thick heating element for guicker heating and enhanced life
- Can withstand pressure up to 6.5 bar.
- Joint less leak proof inner tank

Specifications

20001

IS:8978

(S

Voltage	Capacity	Туре	MRP
220-240V, 50Hz, 1Ph, AC	3 Ltrs.	Instant	3990/-
220-240V, 50Hz, 1Ph, AC	5 Ltrs.	Instant	4990/-



(O KWW

CAPTIVA

1

Low

0

6L

ES

NAMES AND ADDRESS OF TAXABLE

63

Specifications









- Constant hot water supply of 6 lit per min.
- ISI certified
- 1 kg heavy duty copper heat exchanger & SS burners
- Automated ignition system
- 20 min inbuilt timer
- Over heat protection/Auto cut off over 80 degree celcius
- Flame failure protection
- Dry heat/Dry burn protection
- Suitable for low pressure
- Brass inlet/outlet connection
- Elegant MS powder coated outer body with superior aesthetics

ut	Rated Heat Input	Water Pressure	MRP
	10 KW	0.01-8 bar	6900/-





- 2 Years Warranty
- Compliance to IS : 368:2014 for Product and IS : 302-2-201:2008 for Safety
- Power Rating 1.0, 1.5 & 2.0 KW
- ISI approved 3 core supply cord with moulded 3 pin plug
- Thick and heavy duty copper tube with silica powder filled and hi-grade nichrome wire for durability & utmost reliability
- Elegant shock proof Bakelite handle
- Corrosion proof
- Provision of earthing

Specifications

PRODUCT	SAFETY
IS : 368	IS : 302-2-2
S	IJ

Voltage	Power	MRP
220-240V, 50Hz, 1Ph, AC	1 KW	640/-
220-240V, 50Hz, 1Ph, AC	1.5 KW	690/-
220-240V, 50Hz, 1Ph, AC	2.0 KW	790/-





Features

- 2 Years Warranty
- for Safety

Specifications

Voltage	Power	MRP
220-240V, 50Hz, 1Ph, AC	1 KW	725/-
220-240V, 50Hz, 1Ph, AC	1.5 KW	775/-
220-240V, 50Hz, 1Ph, AC	2.0 KW	875/-





Compliance to IS : 368:2014 for Product and IS : 302-2-201:2008

• Power Rating 1.0, 1.5 & 2.0 KW

Thick and heavy duty copper tube with silica powder filled and hi-grade nichrome wire for durability & utmost reliability

- Elegant shock proof Bakelite handle
- Corrosion proof
- ISI approved 3 core supply cord with moulded 3 pin plug
- Provision of earthing
- Shock Proof design with special epoxy filled construction

INDUCTION OVEN

Reduce your dependency on gas stoves with a range of KWW Induction Ovens and choose the perfect one to add to your kitchen appliances collection. Comes loaded with features like push buttons, touch panel, LED display, auto shut off, etc. **Specifications**

c

Stova IR NEO Plus

Touch Sensor Control

sor Extra Wide Cooking Surface

Model	Voltage	Wattage	
Stova IR NEO	220-240V, 50Hz, 1Ph, AC	2200	
Stova IR NEO Plus	220-240V, 50Hz, 1Ph, AC	2200	





- High temp. resistant polished A grade crystal plate 280 × 360 mm
- 2200W capacity with BTB 16A Triac for steady performance
- Extra soft touch sensor control panel
- Infrared coils
- Cooling fan of 2400 rpm to disperse heat
- Steel body and base with handle and knob
- 4 digit bright LED display
- Several important touch functions like timer, lock and other cooking functions
- Auto cut off
- Can use all kinds of flat utensils like glass, stainless steel, aluminium, ceramic etc. & any metal pan







Specifications

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	1400
MRP	3100/-



Features

- Ceramic plate 250 x 250mm
- 1400 watts capacity with Huajiang 15A IGBT for steady performance
- Push button control panel for preset cooking functions
- > 20% Copper coated coil for durability
- Self lubricated cooling fan to disperse heat quickly
- 4 digit bright LED display
- Easy to clean, no problem of stains
- Micro controller based design
- Overheat protection
- Energy saving
- Digital timer control
- Variable power level
- Auto shut off
- Quick heating





Specifications

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	2000
MRP	4300/-





- Polished crystal plate 280 × 350 mm
- 2000 watts capacity with Trino 25A IGBT for steady performance
- Touch control panel for preset cooking functions
- Self lubricated cooling fan to disperse heat quickly
- 4 digit bright LED display
- Easy to clean, no problem of stains
- Auto shut off
- Micro controller based design



DRY IRON

It is very important to dress smart and trim in today's world. KWW Dry Iron serves the general purpose of de-wrinkling clothes and other fabric. It comes with features like non-stick soleplates, metal cover body, temperature controls, safety fuse, light indicators and such. Varaible Steam Control

150 ML Water Tank Capacit







Features

- Variable steam control
- Fine water spray system
- Vertical steam slot
- Swivel cord
- Supply Indicator lamp
- Variable temperature control
- PTFE coated soleplate



ity	Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
_	Wattage	1350
	MRP	1690/-



Premium non-stick coating Easy grip temperature control dial for selection of different fabrics

24 Months Product Warranty maneuveringErgonomically designed with PBT CoverLarge sole twice plate to cover more area

 Easy grip temperature control dial for selection of different fabrics

1750 mm Swivel Cord for effortless

VIA

Indicator light

DRY IRON

Features

- Super smooth finish of non stick coating of sole plate
- Thermal fuse for extra safety



Specifications

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	1000
MRP	1090/-










Features

- Non-stick German Coating Technology
- Button Grooves
- Shock Proof
- Safety Fuse
- Optimally Designed Solepate
- Double Layered Non-stick Coating
- Ergonomically designed PBT cover
- Easy grip temperature control dial for selection of different fabrics
- Registered Greblon Non-stick coated soleplate for smooth gliding & long life

Specifications







Non-stick German Coating Technology



24 Months Product Warranty



- Adjustable temperature control
- Nonstick greblon coated sole plate
- Overheating safety protection
- Pilot neon Lamp Power Indicator
- Safty fuse
- ISI approved
- Cool touch shock proof body of engineering polymer

Specifications

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	1000
MRP	1090/-











Features

- Non stick greblon coated sole plate
- Designed for button grooves for Convenience
- Safety fuse
- Shock proof
- Automatic temperature control by snap action Thermostat
- Multiple Temperature levels
- 360° Swivel Cord

Specifications

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	1000
MRP	1140/-









<

Easy Temperature

Settings











Features

- Powerful Performance
- Heavy weight design with more pressing power
- Nonstick coated sole plate
- Plated metal cover
- Pilot Lamp
- Heat resistant cotton braided power cord
- Reliable snap action thermostat
- Easy temperature setting level
- Heel rest stand for vertical positioning





Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	1000
MRP	1790/-









JICER MIXER GRINDER

. . . .

. .

A must-have kitchen equipment that grinds a variety of food items and serves as an essential in food preparation. It has a powerful, energy-efficient motor that operates at high speed and can complete a variety of tasks in a matter of seconds.





Features

- Auto shut off overload protection
- Food grade shock proof body of ABS polymer
- Multipurpose blades
- Liquidizing Jar 1.5 L, Dry/Wet grinding jar .8L capacity
- > 3 speed control with pulse function
- Easy cleaning
- ISI approved
- 30 minute rating with 5 minute ON followed by 2 minute off
- Skid resistant

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	500
MRP	4499/-

- Auto shut off overload protection
- Food grade shock proof body of ABS polymer
- Multipurpose blades
- 3 numbers of high grade thicker SS jars with flow breakers for easy & smooth grinding, blending and making chutney. Liquidizing jar with pc dome of 1.5 L, Dry/ wet grinding jar 1.0 L & chutney jar 0.4L capacity
- 3 speed control with pulse function
- Easy cleaning
- ISI approved
- ▶ 30 minute rating with 5 minute ON followed by 2 minute off
- Skid resistant

Specifications

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	750
MRP	5490/-













Features

- Auto shut off overload protection
- Food grade Shock proof body of ABS polymer
- Multipurpose blades
- ▶ 3 stainless steel jars, liquidizing Jar 1.25L, Dry/ wet grinding jar 0.75L& chutney jar 0.4L capacity
- ▶ 3 speed control with pulse function
- Easy cleaning
- ISI approved
- ▶ 30 minute rating with 5 minute ON followed by 2 minute OFF
- Skid resistant

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	550
MRP	4290/-



RIYO

IS : 4250

IJ

MIXER GRINDER

2 Years Warranty on Producr

500 Watts

Food grade Shock proof body of ABS polymer

- Multipurpose blades
- 2 stainless steel jars, liquidizing Jar 1.25L, chutney jar 0.3L capacity
- ▶ 3 speed control with pulse function

Auto shut off overload protection

Easy cleaning

Features

- ISI approved
- 30 minute rating with 5 minute ON followed by 2 minute OFF
- Skid resistant

Specifications

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	500
MRP	3990/-





ears





Features

- Auto shut off overload protection
- Food grade Shock proof body of ABS polymer
- Multipurpose blades
- 2 stainless steel jars, liquidizing Jar 1.25L, chutney jar 0.3L capacity
- ▶ 3 speed control with pulse function
- Easy cleaning
- ISI approved
- 30 minute rating with 5 minute ON followed by 2 minute OFF
- Skid resistant

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	500
MRP	4390/-





save further electricity.

.........

2







Features

- Wide Opening for Easy Clean
- Concealed Heating Element
- Steam Rack
- Auto Cut Function
- Stainless Steel Finish
- 360° Ratating Base
- Glass Lid
- Boil Dry Protection



Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	1350
MRP	1690/-



HotKet Plus



Features

- Capacity 1.8 Litre
- ▶ 360° Cordless Base
- Concealed Heating Element
- Dry-Boil Protection
- Automatic turn off when water boils
- High Grade Stainless Steel with cool touch Body
- Cord Storage Facility
- Safety Lock Lid



noci	ificat	tions
որըը	IIILa	10112

Voltage	220-240 Volts, 50 Hz, 1 Ph. AC
Wattage	1.8 Litre
MRP	2100/-



HotKet





Features

- Capacity 1.5 Litre & 1.8 Litre
- ▶ 360° Cordless Base
- Concealed Heating Element
- Dry-Boil Protection
- Automatic turn off when water boils
- Cord Storage Facility
- Safety Lock Lid



Voltage	Capacity	MRP
220-240V, 50Hz, 1 Ph, AC	1.2 Litre	1160/-
220-240V, 50Hz, 1Ph, AC	1.5 Litre	1090/-
220-240V, 50Hz, 1Ph, AC	1.8 Litre	1140/-



ROOM HEATER

....

. . . .

During the cold season, if you are struggling to find comfort and coziness in your home, then you need KWW Room Heater for your living space. It comes in different types, sizes, and designs to ensure that you find the right match for your home.



REAL PROPERTY AND INCOMENTATION OF THE PROPERTY AND INTERPOPERTY AND INTER

COKWW

Specifications

Voltage 220-240V, 50Hz, 11





- 1 year warranty
- High Quality Halogen Heating Element
- Three Heat Setting
- Oscilating Feature For uniform room heating
- Safety mesh grill
- Safety tip over switch
- Cool touch body
- Push button switch for smooth operation
- Easy portability with smart carry handle



	Power (in watt)	Heat Setting	MRP
Ph, AC	1200	400/800/1200	2790/-





- 1 Year Warranty
- Stylish Design
- Powder coated body
- Noiseless Operation
- Safety Front grill
- Easy portability
- Auto-revolving
- Instant Heating
- > 2 Heat Setting 750W/1500W
- ISI approved
- Safety thermal cutout



Specifications

Voltage	Power (in watt)	Heat Setting	MRP
220-240V, 50Hz, 1Ph, AC	1500	750/1500	4900/-











- ▶ 1 Year Warranty
- High Quality Quartz Tube
- Sleek and Compact Design
- Two heat settings 400W/800W to maintain desired room temperature
- Cool Touch Body
- Tip-over Safety Switch
- Front Grill for Protection



	Power (in watt)	Heat Setting	MRP
Ph, AC	800	400/800	1590/-



QUARTONEO QUARTZ HEATER

Features

- 1 Year Warranty
- Instant Heating
- High temp. Resistant Body
- Two heat setting 400W/800W to maintain desired room temperature
- Shock proof body
- Long life quartz heating element
- ISI assurance of quality
- Portable design
- Safety tip over switch



Specifications

Voltage	Power (in watt)	Heat Setting	MRP
220-240V, 50Hz, 1Ph. AC	800	400/800	1390/-



Voltage

220-240V, 50Hz, 1Ph





- 1 Year Warranty
- High Quality Heating Element
- Safety mesh grill
- Safety tip over switch
- Cool touch body
- Push button switch for smooth operation
- Easy portability with smart carry handle
- Instant Heating
- 3 Heat Setting 400W/800W/1200W
- ISI approved
- Safety thermal cutout



	Power (in watt)	Heat Setting	MRP
h, AC	1200	400/800/1200	1890/-





Specifications

Frestorus FAN HEATER

Features

- 1 year warranty
- Heat/Fan selector control
- Adjustable thermostat heat control
- Easy to carry handle
- Cool touch body
- Overheat thermal cutout
- Two heat setting 1000/2000watts
- ISI approved



Specifications



	Voltage	Power (in watt)	Heat Setting	MRP
]	220-240V, 50Hz, 1Ph, AC	2000	1000/2000	1690/-



VERANO

- ▶ 1 Year Warranty
- Modern and sleek design
- Heat/Fan selector control
- Adjustable thermostat heat control
- Overheat safety thermal cutout
- 2 heat setting 1000/2000W
- Easy-to- carry handle
- Night lamp indicator
- ISI Approved



Voltage	Power (in watt)	Heat Setting	MRP
220-240V, 50Hz, 1Ph, AC	2000	1000/2000	3400/-

OTHER PRODUCTS OF **KWW**



O-re

BREELA

-

Link

BREEZA

-